



Product Service

CERTIFICATE

No. Z2 132811 0001 Rev. 00

Holder of Certificate: **Seraphim Application Technology
(Jiang Su) Co., Ltd.**
8th Floor, No.1 Building, No.17 East Beitanghe Road
Tianning District
213000 Changzhou City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**
Mono-Crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 704062310806-02

Valid until: 2030-04-27

Date, 2025-07-16

(Zhulin Zhang)

CERTIFICATE

No. Z2 132811 0001 Rev. 00

Model(s):

SAT-xxx-GF6A, xxx=405 to 440 in steps of 5,
 SAT-xxx-GF6I, xxx=350 to 375 in steps of 5,
 SAT-xxx-GF6J, xxx=260 to 280 in steps of 5,
 SAT-xxx-GF6D, xxx=175 to 195 in steps of 5,
 SAT-xxx-GF3C, xxx=095 to 115 in steps of 5,
 SAT-xxx-GF4C, xxx=135 to 150 in steps of 5,
 SAT-xxx-GF2C, xxx=065 to 075 in steps of 5,
 SAT-xxx-GF2J, xxx=100 to 115 in steps of 5,
 SAT-xxx-GF3J, xxx=150 to 160 in steps of 5,
 SAT-xxx-GF4J, xxx=205 to 215 in steps of 5,
 SAT-xxx-GF2C, xxx=085 to 095 in steps of 5,
 SAT-xxx-GF2K, xxx=075 to 085 in steps of 5,
 SAT-xxx-F1MA, xxx=410 to 430 in steps of 5,
 SAT-xxx-F1MB, xxx=340 to 360 in steps of 5,
 SAT-xxx-F1MC, xxx=300 to 320 in steps of 5,
 SAT-xxx-F1MD, xxx=305 to 325 in steps of 5,
 SAT-xxx-F1ME, xxx=095 to 105 in steps of 5,
 SAT-xxx-F1MF, xxx=145 to 155 in steps of 5,
 SAT-xxx-F1MG, xxx=200 to 210 in steps of 5,
 SAT-xxx-F1MH, xxx=175 to 185 in steps of 5,
 SAT-xxx-F6MA, xxx=420 to 440 in steps of 5,
 SAT-xxx-F6MB, xxx=345 to 365 in steps of 5,
 SAT-xxx-F6MC, xxx=310 to 330 in steps of 5,
 SAT-xxx-F6MD, xxx=310 to 330 in steps of 5,
 SAT-xxx-F6ME, xxx=100 to 110 in steps of 5,
 SAT-xxx-F6MF, xxx=150 to 165 in steps of 5,
 SAT-xxx-F6MG, xxx=200 to 215 in steps of 5,
 SAT-xxx-F6MH, xxx=175 to 195 in steps of 5,
 SAT-xxx-F8MA, xxx=510 to 530 in steps of 5,
 SAT-xxx-F8MB, xxx=420 to 440 in steps of 5,
 SAT-xxx-F8MC, xxx=380 to 400 in steps of 5,
 SAT-xxx-F8MD, xxx=380 to 400 in steps of 5,
 SAT-xxx-F8ME, xxx=100 to 110 in steps of 5,
 SAT-xxx-F8MF, xxx=185 to 200 in steps of 5,
 SAT-xxx-F8MG, xxx=250 to 260 in steps of 5,
 SAT-xxx-F8MH, xxx=220 to 230 in steps of 5,
 SAT-xxx-F8MP, xxx=200 to 210 in steps of 5,
 SAT-xxx-F8MI, xxx=475,
 SAT-xxx-F8MJ, xxx=65,
 SAT-xxx-G8MJ, xxx=10 to 50 in steps of 10
 xxx is standing for rated output power at STC

Parameters:

Construction:	Framed or frameless with Junction box, Cable and Connectors.
Test Laboratory:	Changzhou HuaYang Inspection and Testing Technology Co., Ltd. B Area on 1/F., Building 12, C Area on 4/F., and A Area on 1/F., Building 10, No. 8, Lanxiang Road, West Taihu Science and Technology Industrial Park, Changzhou, Jiangsu, China
Safety Class:	Class II
Maximum System Voltage:	1500V or 1000V DC
Fire Safety Class:	Class C according to UL790.



CERTIFICATE

No. Z2 132811 0001 Rev. 00

**Tested
according to:**

IEC 61215-1:2016
IEC 61215-1-1:2016
IEC 61215-2:2016
IEC 61730-1:2016
IEC 61730-2:2016